Amendments to the Claims

Please amend the Claims as shown below:

1. (Currently Amended) In a server system communicatively coupled to a mobile device, a method for retrieving and communicating information, said method comprising:

accessing an instruction from said mobile device which identifies information by said server system, wherein said information corresponds to data displayed on said mobile device, ~~wherein said information corresponds to said data displayed on said mobile device~~ and comprises one or more of said data and a body of further information related to said data, <u>and</u> wherein the size of said body of further information is greater than is efficiently displayable on said mobile device<u>;</u> ~~and wherein said information identified by the mobile device and retrieved for display thereon comprises Wireless Markup Language (WML) information;~~

retrieving said information;

formatting said information into a form compatible with facsimile transmission, wherein said formatting is performed by said server system; and

transmitting said information ~~to any~~ <u>to a</u> facsimile system <u>in close geographical proximity to said mobile device, wherein said facsimile system is</u> communicatively accessible with said server system, <u>and</u> wherein said facsimile system functions as an accessible printer device for said mobile device, for printing a hard copy of said information effectively instantaneously.

2. (Previously Presented) The method as recited in Claim 1 further comprising:

formatting said information into a form compatible with said mobile device; and

sending said information to said mobile device.

3.-4. (Cancelled)

5. (Previously Presented) The method as recited in Claim 1 wherein said

information comprises a webpage and wherein said accessing comprises receiving a

Universal Resource Locator (URL) designating said webpage.

6. (Currently Amended) The method as recited in Claim 1 wherein said

information is selected from the group consisting of: is a webpage, a file, a document, a

graphics file, a spreadsheet, a database, an e-mail, a voice-to-text file, and a voice-to-e-

mail file., or another electronically formatted data.

7. (Original) The method as recited in Claim 1 wherein said server system is

communicatively coupled to said mobile device via a wireless network.

8. (Original) The method as recited in Claim 7 wherein said wireless network

includes the Internet.

9. (Currently Amended) The method as recited in Claim 1 further comprising:

receiving a facsimile transmission command; and

receiving a facsimile number ~~wherein a~~ wherein said facsimile system is

designated as a transmission destination.

10. (Previously Presented) The method as recited in Claim 1 wherein said

transmitting comprises sending said information to a designated facsimile number.

11. (Currently Amended) A server system comprising:

a bus;

a communication interface coupled to said bus, said communication interface

operable to communicatively couple with a mobile device and a facsimile system;

a processor coupled to said bus, said processor for performing a method of

retrieving and communicating information, said method comprising:

accessing an instruction from said mobile device which identifies information,

wherein said information corresponds to data displayed on said mobile device, ~~wherein~~

~~said information identified by the mobile device and retrieved for display thereon~~

~~comprises Wireless Markup Language (WML) information, wherein said information~~

~~corresponds to said data displayed on said mobile device~~ and comprises one or more of

said data and a body of further information related to said data, and wherein the size of

said body of further information is greater than is effectively displayable on said mobile

device;

retrieving said information;

formatting said information into a form compatible with facsimile transmission,

wherein said formatting is performed by said server system; and

transmitting said information to said facsimile system, wherein said facsimile

system comprises ~~any facsimile device~~ a facsimile system in close geographical

proximity to said mobile device, wherein said facsimile system is communicatively

accessible with said server system, and wherein said facsimile system effectively

functions as an accessible printer device for said mobile device, for printing a hard copy

of said information effectively instantaneously.

12. (Previously Presented) The server system as recited in Claim 11 wherein said

method further comprises:

formatting said information into a form compatible with said mobile device; and

sending said information to said mobile device.

13.-14. (Cancelled)

15. (Previously Presented) The server system as recited in Claim 11 wherein said

information comprises a webpage and wherein said accessing comprises receiving a

Universal Resource Locator (URL) designating said webpage.

16. (Currently Amended) The server system as recited in Claim 11 wherein said

information is selected from the group consisting of: a webpage, a file, a document, a

graphics file, a spreadsheet, a database, an e-mail, a voice-to-text file, and a voice-to-e-

mail file. ~~, or another electronically formatted data.~~

17. (Previously Presented) The server system as recited in Claim 11 wherein said server system is communicatively coupled to said mobile device via a wireless network.

18. (Previously Presented) The server system as recited in Claim 17 wherein said wireless network includes the Internet.

19. (Currently Amended) The server system as recited in Claim 11 wherein said method further comprises:

receiving a facsimile transmission command; and

receiving a facsimile number ~~wherein a~~ wherein said facsimile system is designated as a transmission destination.

20. (Currently Amended) The method as recited in Claim 11 wherein said transmitting comprises sending said information ~~to any~~ to a designated facsimile number.

21. (Currently Amended) A method of using a mobile device communicatively coupled to a server system for retrieving and communicating information, said method comprising:

sending a request for information to said server system;

receiving at said mobile device information responsive to said request, wherein said information is identified by the mobile device and retrieved for display; ~~thereon comprises Wireless Markup Language (WML) information;~~

displaying data corresponding to said information at said mobile device; and

instructing said server system to transmit said information to a designated

facsimile system, wherein said information comprises one or more of said data and a

body of further information relating to said data, wherein the size of said body of further

information is greater than is efficiently displayable on said mobile device, and wherein

responsive to said instructing, said server system:

formats said information into a form compatible with facsimile

transmission, said formatting performed by said server system; and

transmits said information to a facsimile system, wherein said facsimile

system comprises ~~any facsimile device~~ a facsimile system in close geographical

proximity to said mobile device, wherein said facsimile system is communicatively

accessible with said server system, and wherein said ~~facsimile device~~ facsimile system

effectively functions as an accessible printer device for said mobile device, for printing a

hard copy of said information effectively instantaneously.

22. (Cancelled)

23. (Original) The method as recited in Claim 21 further comprising instructing

said server system to transmit a webpage.

24. (Previously Presented) The method as recited in step 23 wherein said

webpage is designated by a corresponding Universal Resource Locator (URL).

25. (Currently Amended) The method as recited in Claim 21 wherein said information is <u>selected from the group consisting of:</u> a webpage, a file, a document, a graphics <u>file</u>, a spreadsheet, a database, <u>an</u> e-mail, <u>a</u> voice-to-text <u>file</u>, <u>and a</u> voice-to-e-mail <u>file.</u> ~~, or another electronically formatted data.~~

26. (Original) The method as recited in Claim 21 wherein said mobile device is communicatively coupled to said server system via a wireless network.

27. (Original) The method according to Claim 26 wherein said wireless network includes the Internet.

28. (Currently Amended) The method as recited in Claim 21 further comprising~~:~~

sending a facsimile transmission command; and

sending a facsimile number ~~wherein a~~ <u>wherein said</u> facsimile system is designated as a transmission destination.

29. (Currently Amended) A computer-usable medium having a computer-readable program code embodied therein for causing a computer system to perform a process comprising:

accessing an instruction from a mobile device which identifies information to be communicated, wherein said information corresponds to data displayed on said mobile device, wherein said information <u>is</u> identified by the mobile device and retrieved for display<u>,</u> ~~thereon comprises Wireless Markup Language (WML) information, and~~ wherein

said information comprises one or more of said data and a body of further information

relating to said data, and wherein the size of said body of further information is greater

than is efficiently displayable on said mobile device;

retrieving said information;

formatting said information into a form compatible with facsimile transmission,

wherein said formatting is performed by said server system; and

transmitting said information to a facsimile system, wherein said facsimile system

comprises ~~any facsimile device~~ a facsimile system in close geographical proximity to said

mobile device, wherein said facsimile system is communicatively accessible with said

server system, and wherein said facsimile ~~device~~ system effectively functions as an

accessible printer device for said mobile device, for printing a hard copy of said

information effectively instantaneously.

30. (Previously Presented) The computer-usable medium as recited in Claim 29

wherein said computer-readable program code embodied therein further causes a

computer system to perform a process comprising:

formatting said information into a form compatible with said mobile device; and

sending said information to said mobile device.

31.-32. (Cancelled)

33. (Previously Presented) The computer-usable medium as recited in Claim 29 wherein said information comprises a webpage and wherein said computer system further performs receiving a Universal Resource Locator (URL) designating said webpage.

34. (Currently Amended) The computer-usable medium as recited in Claim 29 wherein said information is <u>selected from the group consisting of:</u> a webpage, a file, a document, a graphic<u>s file</u>, a spreadsheet, a database, <u>an</u> e-mail, <u>a</u> voice-to-text <u>file</u>, <u>and a</u> voice-to-e-mail <u>file.</u> <s>, or another electronically formatted data.</s>

35. (Previously Presented) The computer-usable medium as recited in Claim 29 wherein said computer system is communicatively coupled to said mobile device via a wireless network.

36. (Previously Presented) The computer-usable medium as recited in Claim 35 wherein said wireless network includes the Internet.

37. (Currently Amended) The computer-usable medium as recited in Claim 29 wherein said computer-readable program code embodied therein further causes said computer system to perform:

receiving a facsimile transmission command; and

receiving a facsimile number <s>wherein a</s> <u>wherein said</u> facsimile system is designated as a transmission destination.

38. (Currently Amended) A system for retrieving and communicating information, said system comprising:

means for accessing an instruction from a mobile device which identifies information to be communicated wherein said information corresponds to data displayed on said mobile device; ~~wherein said information identified by the mobile device and retrieved for display thereon comprises Wireless Markup Language (WML) information;~~

means for retrieving said information;

means for formatting said information into a form compatible with facsimile transmission, wherein said formatting means comprises a server; and

means for transmitting said information to ~~any facsimile system~~ a facsimile system in close geographical proximity to said mobile device, wherein said facsimile system is communicatively accessible with said server according to said instruction, wherein said information comprises one or more of said data and a body of further information corresponding to said data, wherein the size of said body of further information is greater than is efficiently displayable on said mobile device, and wherein said facsimile system effectively functions as an accessible printer device for said mobile device for printing a hard copy of said information effectively instantaneously.

39. (Previously Presented) The system as recited in Claim 38 further comprising:

means for formatting said information into a form compatible with said mobile device; and

means for sending said information to said mobile device.

40. (Currently Amended) The system as recited in ~~Claim 39~~ Claim 38 wherein said information comprises data displayed on said mobile device.

41. (Cancelled)

42. (Currently Amended) The system as recited in ~~Claim 39~~ Claim 38 wherein said information comprises a webpage and wherein said means further comprises means of receiving a Universal Resource Locator (URL) designating said webpage.

43. (Currently Amended) The system as recited in ~~Claim 39~~ Claim 38 wherein said information is <u>selected from the group consisting of:</u> a webpage, a file, a document, a graphic<u>s file</u>, a spreadsheet, a database, <u>an</u> e-mail, <u>a</u> voice-to-text <u>file</u>, <u>and a</u> voice-to-e-mail <u>file.</u> ~~, or another electronically formatted data.~~

44. (Currently Amended) The system as recited in ~~Claim 39~~ Claim 38 wherein said system is communicatively coupled to said mobile device via a wireless network.

45. (Previously Presented) The system as recited in Claim 44 wherein said wireless network includes the Internet.

46. (Currently Amended) The system as recited in ~~Claim 39~~ Claim 38 further comprising:

means for receiving a facsimile transmission command; and

means for receiving a facsimile (Fax) number ~~wherein a~~ wherein said facsimile

system is designated as a transmission destination.

47. (Previously Presented) The system as recited in Claim 46 further comprising

means of transmitting by facsimile to said designated facsimile (Fax) number.

48. (Currently Amended) In a server system communicatively coupled to a

mobile device, a method for retrieving and communicating information, said method

comprising:

accessing an instruction from said mobile device which identifies information by

said server system, wherein said information corresponds to data displayed on said

mobile device~~, wherein said information corresponds to said data displayed on said~~

~~mobile device~~ and comprises one or more of said data and a body of further information

related to said data, and wherein the size of said body of further information is greater

than is efficiently displayable on said mobile device;

retrieving said information;

formatting said information into a form compatible with facsimile transmission,

wherein said formatting is performed by said server system, wherein said facsimile

compatible format comprises one or more of the G3 and TIFF protocols; and

transmitting said information to ~~any facsimile system~~ a facsimile system in close

geographical proximity to said mobile device, wherein said facsimile system is

communicatively accessible with said server system, and wherein said facsimile system

functions as an accessible printer device for said mobile device, for printing a hard copy

of said information effectively instantaneously.

49. (Cancelled)